SUPPLEMENT TO

The Gazette



of *Endia*

No. 29] NEW DELHI, SATURDAY, AUGUST 8, 1959/SRAVANA 17, 1881

OFFICIAL PAPERS

Reported attacks and deaths from Fiolera, smallpox, plague and typhus in districts in India during the week ending the 11th July, 1959.

	CHO	I ľRA	SMAI	.LPOX	PLA	GUE		Сно	LT RA	SMA	LLPOY	PLA	AGL B
	C.	D.	C.	\mathbf{D}_{ullet}	C.	D.		C.	D.	C.	D	C.	D.
	Andh	ra Pra	desh					Madras	—cont	d.			
		"N.R.					Tiruchirappalli .	••	••	16	6		••
		Assa w					Madurai	•		2			. 1
TOTAL .			* *		• •		North Arcot ,	• 3		I	I	~ •	
Total for w/c 4-7-59					••	••	Salem			29	8		
Total for w/e 27-6-59			٠.		• •		Coimbatore			23	8	• •	
		Biher			•		The Nilgiris .		- •	6	1		
	•	'N. R.''					Kanya Kumari .	••		I		••	••
	В	o m bay					TOTAL .	••		114	31	4.4	
Greater Bombay .	••	••	9	5	••	••	Total for w/c 4-7-59		• •	93	25	••	••
Panchmahals	7	• •	••	••	••	••	Total for w/e 27-6-59	••	• •	79	18	••	
Gohilwad	I	1	••	••	••			Mani	pur				
Sorath	••	••	I	••	••	• •	TOTAL	• •	••	6.7	• •	••	••
Poona		• •	4	1	••	••	Total for w/e 4-7-59	••	••	••	• •	• •	••
North Satara	••	••	I	• •	••	••	Total for w/c 27-6-59	••	••	••	• •	••	D •
Sholapur	3	••	I	••	• •	••		M	[ysore	ř			
TOTAL	II	I	16	6	• 0	••	Bungalore .			I		••	••
Total for w/e 4-7-59	32	2	32	6	••	••	Chikmagalur	••	••	7	• •	••	••
'Total for w/e 27-6-59	59	6	41	6	• •	••	Mandya		• •		I	••	
		Delhi					Tumkur	• •	• •	7	••	••	••
Delhi City	••	••	1	••	••	••	Dharwar	I	••	3	• •	••	••
Delhi Civil Lines Zon	е	. •	••	2	••	••	South Kanara	••	••	3	ĭ	••	***
TOTAL	••	••	I	2	••	••	TOTAL	. 1	••	21	2	• •	• •
Total for w/e 4-7-59		• •	I	I	••	••	Total for w/e 4-6-59	••	••	26	5	• •	••
Total for w/e 27-6-59		••	2	2	••	• •	Total for w/e 27-6-59	••	• •	63	9	••	••
H	lmach	l Prad	esh					Oris	sa.				
TOTAL .	•••	••	••	••	• •	••	Puri	••		3	••	••	• •
Total for w/e 4-7-59	••	••	* **	- •	• •	••	Ganiam	• •	••	5	2	• •	• •
Total for whe 27-6-59	***	•-	••	••	••	••	Koraput	••	••	I	1	••	••
		rala					Sambalpur	• ••	• • •	14	5	• •	••
		.R."					Sundergarh	••	• •	5	••	••	••
M	adhya		sh				Bolangir	• •	••	I	2	••	• •
		.R."					Mayurbhanj	• •	••	Ι	••	••	••
	Ma	idras					Kalahandi	••	••	6 I	34	••	••
Madras City	••	• •	29	4	••	••	TOTAL	••	• •	91	44	••	• •
Chingleput	••	••	I	••	••	• •	Total for w/e 4-7-59	2	1	273	95	• •	• •
South Arcot	•• -13	••	6	3	**	••	Total for w/e 27-6-59	7		25I	44	••	••
Explanation of Symb	ois mied	u— C,	ـــ (بور در	: ;D,=	- Destþ	3 	Nil; "N, R," = Inform	ta uon not	rece	vea.			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July, 1959—contd.

			ending the	itto july, 1959—conta.
	CHOLERA	Smallpox	PLAGUE	CHOLERA SMALLPOX PLAGUE
	C. D.	C. D.	C. D.	C. D. C. D. C. D.
Po	ndicherry			West Bengal-contd.
TOTAL .	•	6 3		
Total for w/e 4-7-59				Calcutta 39 21
Total for w/e 27-6-59	••	••		Nadia 2 2 I I
		••	••	West Dinajpur 6 2
	Punjab			TOTAL 163 67 17 15
Kangra		1	** **	Total for w/e 4-7-59 173 53 57 16
Gurdaspur .	• •• ••	2	••	Total for w/e 27-6-59 227 88 57 25
Sangrur .	• •• ••	4	••	Total for India (Excluding Andhra Pradesh, Bihar, Kerala,
Total .	• •• ••	4 3	••	Madhya Pradesh and Rajasthan) 175 68 318 125
Total for w/c 4-7-59		2	• • • •	Corresponding
Total for w/c 27-6-59	•• ••	2 I		total for w/o 4-7-59 211 57 532 159
	Rajasthan	l		Corresponding total for w/e 27-6-59 295 99 564 137
	"N.R."			ARREAR INFORMATION
	Tripura			Mysore
TOTAL .				<i>v/a</i> 4-7-59
Tetal for w/c 4-7-59				Kolar
Total for w/e 27-6-59				Mandya
	Utter Prade	•eh		Mysore
Allahabad		ı		Dol-ou
Almora		6		Dharwar
Azamgarh		7 I	• •	South Kanara 6 2
Dehra Dun		2 2		TOTAL
Deoria	,, ,,	7 I		•
Etawah		4		Kerala
Faizabad	••	1 3		∞/ 30-5-59
Fatehpur		2 3		Trichur
Garhwal		I		Palghat
Gonda		I 2		Cannanore
Hardol		Ι		TOTAL 23 9
Kanpur		3 2		w/s 6-6-59
Kherl	••	ı		Quilon
Lucknow		I I		Kottayam 2
Moradabad	••	3 2	••	Trichur 24 6
Muzaffarnagar .		ı		Palghat
Nainital		ı	,	Cannannore 6 2
Partapgarh		2 I		Kozhikode 2
Rampur	•••	ı	**	TOTAL 32 II
Saharanpur		I	••	w/e 13-6-59
Shahjahanpur	• ••	ı		Kottayam 4
Unnao		r		Trichur 11 8
TOTAL		48 19	••	Cannanore 14 4
Total for w/c 4-7-5		48 11	••	Kozhikode 2 2
Total for w/e 27-6-59	-	69 32	., .,	, TOTAL 31 17
# 1 110 m/-0-0;	West Ben	- -		w/s 20-6-59
Burdwan	2 I	3 3	••	Kottayam
Birbhum		J J		Trichur
Bankura	29 8	3 7		Palghat I
Midnapur	19 10	3 I		Kozhikode
Howrab	42 13		==	Cannannore 6 4
24 Parganas	30 12	9 5	••	TOTAL 15 14
end = an Parties a	-		-	Parelle: -Nil- "N R "-Information not received

Explanation of Symbols used:—C. = Cases; D. = Deaths; · · = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th July, 1959—concld.

							_										
			Сно	LERA	SMAL	LPOX	PLA	YGU B				CH) LBQA	SMAL	LPOX	PL	AGUE
~-			C.	D.	C.	D.	C.	D,				C.	D.	C.	D.	C.	D.
			Kers	ile — co	intd.						В	ihar-	-contd				
			w/e	27-6-5	9				Monghyr	•	•			I	1	••	
Alleppey				••		I	.,	,,	Sharsa .	•		••	• •	17	8	• •	••
Kottayam					I				Hazaribagh	J		••		20	7	• •	••
Trichur			••		5	1			Ranchi .	•			••	16	4		• •
Palghat .				••		I			Palamau .	-		8	2		••		
Kozhikode					9				Dhanbad					3		••	••
Cannannore					5	2	٠.		TOTAL	•	•	90	28	82	31	••	••
Total					20	5		••					sthan				
		1	Madhy	a Pra	desh							₩/#	27-6-5	59			
			w/e	27-6					Jhunjhunu	•	•			11	2	• •	••
7 0 - 1 1						_			Nagaur	•	•			5	3		* •
Raigarh	•	•	• •	••	23	5	••	••	Bhilwar a		•			2			••
Chhindwara	•	•	••	••	72	9	••	•••	Churu					5	••		••
Tıkamgrah	•	-	26	9		••	••	••	Bundi					3	2	••	••
TOTAL	•	•	26	9	95	14	••	•	TOTAL	•		••		26	7		••
			Bihs	ar							Him	achal	Prade	esh			
			co/c	4-7-	59							w/e	4-7-5	59			
Patna .	•	•	74	21	• •	••		• •	TOTAL		•		• •		••		••
Gaya .	٠	•	8	5		• •	••	••				REMA	ARKS				
Saran .	•	•	••		2 3	10		٠.	Smali	POX	: Н	eavy	incid	lence	were	re	ported
Champaran	•	•	••	- 4	2	I	* 1	••	from Kala	hanc	li Di	strict	of ()rissa			-

Explanation of Symbols used :- C. = Cases ; D. = Deaths ; .. = Nil ; "N. R." = Information not received.

New Delhi-2 (Imdia);
The 3rd Aug, 1959.

H. R. SHARMA, for Registrar General, India

Note:—Heavy=50-1∞ Cases per week per million of population.

Prosper with the NATION

INVEST YOUR SAVINGS IM

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
 - RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/* to Rs. 5,000/*. Individual holding upto Rs. 25,000/*.
IO-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/ Individual holding upto Rs. 25,000/
POST OFFICE SAVINGS BANK ACCOUNTS	21 per cent interest added on deposits upto Rs. 10,000/- and 2 per cent ex balance upto Rs. 15,000/

15-YEAR ANNUITY CERTIFICATES

Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,200/-, & Rs. 26,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State. INVEST IN INDIA'S FUTURE

DA - 58/261

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th July, 1959

						_			Dea	ths from	m :					
Tov	7n8			Mid- year Popn. Est. (000)	В.	B.R.*	C.	s.	P.	F.	D,D.	R.D.	M.D.	Total	D.R.*	i.D.
And	lhra	Prade	eh:					"N	.R."							
Ass	am							«N	I.R."							
Bihar																
Arrah Bettiah †	•	•	•	75	11	7.6	••	F 1	-	4	••	2	••	6	4.2	••
Bhagalpur	•		•	136	36	10.7	• •	• •	• •	2	• •	••	••	20	7.6	••
Bihar Chapra Darbhanga	:	:	:	71 73 100	20 46 11	14.6 32.6 5.7	••	••	••	2	•••		••	5 8 9	3•7 5•7 4·7	I
Dhanbad.	•	•		50	13	13.5	••	٠.		2		••	••	7	7.3	••
Dinapur† Gaya				163	57	18.3		٠.		19	11	9	3	65	20.7	
Hazaribagh Jamalpur Jamshedpur	:	:	:	44 49 275	14 6 131	16·5 6·4 24 ·8	••	• •		 	ĭ	 	••	5 2 14	5·9 2·1 2·6	2 8
Katihar† Monghyr† Muzaffarpur		• ,		95	34	18.6	• -	• •		4		••		21	11•5	••
Patna . Ranchi	:	:	:	384 167	80 21	10·8 6·5	•	•••		2 10	· · · · · · · · · · · · · · · · · · ·		••	27 22	3 • 7 6 • 0	7
	Тота			1,682	472	14.6	٠.			46	14	12	3	216	6.5	18
1	3omb	ау										•				
Ahmedabad Ahmednagar Amalner		:	:	1,001 112 55	629 88 36	32·7 40·9 34·0		•••	•••	27 3 4	6 2 1	61		351 30 8	18·2 13·9 7·6	103
Baroda . Barsi . Bhusawal	;	:	•	27 7 49 76	164 32 37	30·8 34·0 25·3	••	•••	•••	11 3 2	5 2	10 10	••	69 20 7	13.0 21.2 4.8	17 3 2
Broach Cambay Challsgaon	:		:	69 43 39	81 31 22	61·0 37·5 29·3	••		••	7 		1 8	••	25 8 1	1.3 9.5 1.3	2
Dhulia . Godhra Greater Bomb	: oay	:	:	105 42 4,671	46 66 2,207	22·8 81·7 24·6	••	·· · ·	••	3 5 3	1 62	 I I12	 2	11 17 671	5.4 21.0 7.5	2 193
Jalgaon . Kulyan Kolhapur	:	:	:	91 94 189	20 51 116	11·4 28·2 31·5	••			3 1 6	I I I	3 1 9	2 2	13 10 37	7·4 5·5 10·2	 7
Malegaon Miraj Nadiad	:	:	:	7 7 48 80	 37	35·I 24·I	•••	.:.	.:.	24 	4		 	35 14	23·6 9·1	14 ••
Nandurbar Nasik - Narsari -	:	:	:	39 153 54	20 92 30	26·7 24·7 28·9	••	••	::	 1 4	•••	 6 	ĭ	13 46 8	17·3 15·6 7·7	7 6 2
Pandharpur Patna Poona	:	:	:	48 50 72 7	25 60 278	27·1 62·4 19·9	•••	 	::	. 4 5	 9	3 6 2 0	••	12 10 153	19·5 10·4 10·9	5 1 50
Sangli Satara Sholapur	:	•	:	68 43 333	20 26	31.4 12.3		••	••	5	• •	2	••	6 19 ••	4.6 22.9	• •
Surat Thana Bhaynagar		•	•	27 9 104 177	195 55 81	36.3 37.6 23.8	···	:: ::	••	9 4	 4	11 19	* * * *	85 13 44	16·0 6·5 12·9	30 5 8
Dhoraji Jamnagar Junagarh	:	<i>:</i>	:	49 143 6 7	31 	32.9 39.6	::	•••	::	 7	 ī	 3		14 24	14.9	⁵

Fin cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

^{*}Pigures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholers; S.=Smellpox; P.=Plegue; F.=Pevers; D.D.=Dynentery and Diarrhos; R.D.=Respiratory Diseases; M. D.=Maternal Deaths; D.R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil Information.

irths and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th July, 1959—contd.

							Des	ths from	n t					
	Towns	Mid-year Popn. Est. (000)	. В.	B,R.*	, C.	s.	Р.	F.	D.D.	R.D.	, М.D.	Total	D.R.*	I.D.
Bomb	y—contd.													
Morvi . Porbander Gondal	: :	. 44 . 69 . 43	15 56 26	17·7 42·2 31·5	•••	 4 	•••	 9 4	r r	1 2 2	 2 	1 27 9	1.3 10.9	 7
Rajkot . Veraval Surendranaga		. 219 51 . 53	136 13 24	32·3 13·3	••	 	••	11 4 5	3	1 3	::	40 12 9	9·5 12·2 8·8	15 2 I
Nagpur Achalpur Akola		624 40 . 121	210 25 	17.5 32.5		4	••	20 6 	5 2		3 1	161 15	13.4 19.5	63 2
Chanda . Gondia Hinganghat		, 46 57 · 37	56 24	63·3 	•••	••	••	2				5	5·7 5·6	 I
Khamgaon Wardha Yeotmal		· 37 · 48 · 53 · 46	20 24 27	21.7 23.5 30.5		••	•••	 3 4	 I 4	 I	••	4 5 3 24	5'4 2'9 27'1	
Kamptee Amravati Aurangabad	: :	. 42 116 83	 94 12	42·1 7·5	•••	•••	••	 2 3	 I	 1 3	 2 	 18 9	8·1 5·6	 6
Lathur Nanded Parbhani	: :	. 47 98 48	 	7.7 	•••	···	•••	 	··· ···	 	 	 3	5·6 3·3	••
Jalna		. 84	• •	••	••	••	••	• •	••	••	• •	••	••	••
TOTAL	• •	. 10,547	3,461	17.1	••	14		225	132	309	17	2,120	10.2	575
Delhi						"N.R	•"							
Ker	ala	_												
Alleppey Changanache Kottayam	rry .	. 198 • 45 • 56	16 	18.5	••	•••	••	ï	::	I I I	••	1 5 5	0·4 5·8 4·6	2
Brnakulam Mattancherry Quilon	_	· 79 · 97 · 84	1 1 4	0·5 5·9 2·5	::	::	::	3 	•••	 2 I	::	6 2 2	3·9 1·1 1.2	1
Trichur Trivandrum Kozhikode	: :	. 81 . 256 . 192	1 15 166	0.2 3.1 45.0	::	••	••	 1 7	·· 2 6	 4 4	···	2 12 75	1.3 2.4 20.3	24
Palghat Cannanore T'ellicherry	: :	. 84 . 50 . 43	20 23 21	12·4 23·9 25·4	••	••	••		 3	1 3 4	I •••	28 15 19	17·3 15.6 23.0	2 3 4
Cochin†														
Т от <i>н</i>		1,298	279	17.5	••	••	••	13	11	22	2	172	7 • 1	36
	a Pradesh					"N.R	."							
Madra		.0												
Ambur Arrupukottai Bodinayakunu		64	20 33 21	21 · 7 26 · 8 25 · 4			•••	ĭ	I I 2	2	••	8 23 7	8 7 18·7 8·5	1 6 2
Chidambaram Coimbatore Cuddalore	. : :	44 279 77	42 271 83	49.6 50.5 56.1	···	···	••	ı I	1 16 4	I I 2 I	1 	7 72 28	8·3 13·4 18·7	3 18 3
Dindigul Erode Gobichetipala	 yam	103 79 51	68 57 18	34°3 37°5 18.4	•••	•••	•••	4 I	 5		••	14 21 6	7·1 13·8 6·1	3 6 ••
Gudiyattam Kancheepuran Karaikudi	 i	60 94 49	35 77 40	30·3 42·6 42·4	···		••	1 11 3			ī	13 25 5	11 3 13 •8 5•3	8 3 1

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Pigures not available,

Explanation of Symbols used: —B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; P.=Pevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ...—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th July, 1959.—contd.

								De	aths fro	m		_		
Tow	'D 8	Midyear PopnEst (000)		B.R.*	c,	s.	Р.	P.	D.D.	R,D.	M.D.	Total	D.R.*	I.D.
Madra	-conta	<i>!</i> .												
Karur Kumbakonam Mad _r as Cit y	· · ·	60 119 2,110	37 47 1,471	36.5 36.2 36.1	••	 2 4	::	 5 76	 2 66	2 3 123	 1 5	12 31 517	10·4 13·5 12·7	3 3 132
Madurai † Mayuram Maliapalayam		55 44	52 20	49 · 2 23 · 6	• •		•••	ï	ï	3 I		6 10	3·7 11·8	
Nagapattinam Nagercoil . Ootacumund†	: :	62 1 ₁₃	46 47	38·6 21·6	••	••	••	3 4	- .	2 2		14 19	8.7 8.7	? 2
Palni . Palayamkottaj Periyakulam .	: :	46 50 36	39 81 33	44 · 1 84 · 2 47 · 7	•••	••	•••		2 I	3 3 1	 	16 24 9	18·1 25·0 13·0	3 7 3
Pollachi Pudukottai Rajapalayam	: ':	63 56 77	56 56 20	46°2 52°0 13°5	::	••		1 3 10	2 I	4 2 1		12 12 15	10.1 11.1 6.6	 I
Salem Sriangam Srivilliputtur†	: :	293 48	160 7	28 ·4 7·6	••	••	<i></i>	4 1		13 2		56 7	9·9 7·6	8 1
Tanjore Tiruchirappalli Tirunalveli	: :	138 285 86	81 137 91	30·5 25·0 55·0		••	••	1 1 3	2 3 1	3 2 3		29 48 33	10.9 8.8 20.0	5 7 9
Tiruppur Tiruvannamalai Tuticorin	: :		77 26 97	52·0 40·7	••	•••	::	1 4 1	6	3 4 6	2 I	21 10 32	14 ·2 10·8 13·4	7 2 7
Vaniyambadi Vellore Villapuram .	• •	. 46 . 147 . 42	42 124 26	47°5 43°9 92°2		••	•••	I ., 2	6	3 5 1	 2	16 48 17	18.1 14.0	6 19 6
Virudhunagar		. 59	42	37.0	••			4		I		18	15.9	3
TOTAL .		5,275	3,680	36• 3	••	6		152	144	224	17	1,261	12.4	298
Myso	re													
Bangalore Mysore Kolar Gold Fields		. 1,258 . 364 . 183	609 147 71	25°1 20°1	••	••	••	1 27 1	41 10 4	52 5 5		267 87 31	11.0 12.4 8.8	4 4 1
Bellary . Davangere . Shimoga†	•	. 85 . 86	130 4 5	79°5 27°2	::	::	::	8	.5	2 ••	::	27 17	16.5 10·2	2
Bhadravati† Hospet Tumkur	:	· 54 · 54	28 36	26·9 34·6	·•	 ^•	••	2 I	2			15	15.0	••
Kolar† Chitaldrug Hassan†	•	. 40	11	14.3				••		,.	••	3	3.9	• •
Bidar† Gulberga† Raichur†														
Bijapur† Belgaum Dharwar .	:	. 114 . 87	50 24	22·8 14·3	••	• •	• •	3 2			::	20 18	9·1	••
Bagalkot Mangalore Gadag Betegere†	•	. 40 , 159	23 192	29·9 62·7	•••	ī	- •	ĭ	2	ı.	••	7 34	11. 1 6.1	ï
Hubli† Total		2,524	1,366	28,2		I	/=	48	64	67	ĭ	527	10.0	12
2000			,			-		7"	~	-,	-	5-1	~~ J	

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.-Births; B.R.-Birth Rate; C.-Choicra; S.-Smallpox; P.-Plague; F-Fevers; D.D.-Dysentery and Diarrhoea; R.D.-Respiratory Diseases; M.D.-Maternal Deaths; D.R.-Death Rate; I.D.-Infantile Deaths (included in total deaths);..-Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th July, 1959—contd.

		Midyear			Deaths from :									
Towns		Popn. Est. (000)	В.	B.R.*	c.	s.	Р.	F.	D. D.	R.D.	M.D.	Total	D,R.*	l.D
Orisea						"I	N.R."							
Pondicherry		68	94	71-8	••			2	3	5	3	19	14.5	10
Punjab														
Ambala Amritsar Batala	:	63 367 68	53 186 25	43·9 26·2 19·2		••	••	 4		1 19 2	: ::	12 55 13	9·9 7·8 10·0	6 14 6
Bhiwani Ferozepur Hissar	•	60 48 42	53 22 40	46·0 23·9 49·7	••		••	 2		2 I 	 	10 4 12	8·7 4·3 14·9	3 1 1
Hoshiarpur Jullundur Karnal	:	56 240 87	20 119 31	18·6 25·9 18·6	•••	••	••	4 3 6	ı I	ĭ	••	9 21 15	8·4 4·6 9·0	6 ••
Ludhiana Moga Panipat	:	200 46 75	119 30 36	31·0 34·0 25·0	 ::	••		 5	••	4 I 	••	23 3 7	6·0 3·4 4·9	4 1 3
Pathankot Rowari Rohtak†	:	38 37	23 18	31·6 25·4	••	::	::	1 2	1	2	••	5 3	6·9 4·2	
Simla Sonepat† Bhatinda	•	54 47	41 23	39·6		••	••	2				5 4	4·8 4·4	1
Malerkotla Patiala Total .		36 129	18 66	26·1 26·7	•••	::	::	2 12	 8	2	,. I	3 52	4°3 12.9	 II
	•	1,693	923	28 4	••	••	•••	59	ð	35	3	236	7.3	61
Rajasthau														
Ajmer . Alwar† Beawar†		250	91	18.9	••		••	7	1	6	••	34	7.0	8
Bharatpur† Bikaner† Churu†														
Gangan ^a gar† Jaipur† Jodhpur†														
Kotah† Sikar† Tonk†														
Udaipur†														
Total .		250	91	18.9	••		••	7	I	6		34	7.0	8
Uttar Pradesh	ı													
Agra Allahabad Amroha	•	414 381 62	558 165 30	70·0 22·6 25·2		::	••	3 3	3 I 2	43 29 I	•••	109 65 13	13·9 8·9	30 25 5
Bahraich Banaras Banda† .	•	40 426	15 2 98	16.0 36.5	••		::	4 48	2 12	 15	••	8 169	8 • 5 20 · 7	1 42
Barcilly Basti† Ballia†	•	206	57	14.4		Ι	••	15	••	8	••	28	7·1	7
Bijnor Budaun Bulandshahr .	•	33 55 45	13 17	20·5 16·1	••	2	::	 6 	···	2 I		5 8 ••	7.9 7.6	 2
Chendausi Dehra Dun† Etawah†	•	45	34	39-4	••	••	••	6	2	I		16	18-5	7

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoca; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th July, 1959—concld

							D	aths fr	om :					
Towns		Midyes Popn. Bs (000)	et. B.	B.R.	• С.	S,	P.	^ F.	D,E). R.D.	M.D.	Tota	1 D.R •	I.D
Uttar Prad	.esh—co	nıd.												
Faizabad-Ayodhya Farukhabad-Fatehgarh Firozabad	:	97 7 9 95	26 30	17.2 16.5	::	::	•••	io 6	••	2	,	 16 15	10.6 8.2	 6 6
Ghazipur Ghaziabad†	•	36	13	18 8	••	••	• •	7	I			9	13·0	
Gonda	•	36	6	8.7	• •	••	• •	••	• •	۰.	•	I	1.4	1
Gorakhpur · · · · · · · · · · · · · · · · · · ·	:	155 67 76	95 65 28	31.9 31.9	::	 	···	8 7 6	5 :	4 6 6	•	20 15 22	6·7 11·7	6 5 9
Haldwani-cum-Kathgod Hathras	lam†	66	29	22.9				3	2	6		1 T	8.7	3
Jaunpur	•	60	25	21.7	••	••	::	3		3		9	7.8	2
Jhansi Kanpur Kasganj	:	135 842	94 265	34·3 16·4	::		••	23 90	23	 46		34 280	13.1	4 56
Khurja Koil-Aligarh Lucknow†	V	41 171	53	11 ' 4 16'2	··	••	::	5			•	6 25	7·6 7·6	••
Mathura Mau-Nath Bhanjan Meorut†	:	121 40	57 24	24·6 31·3	••		••	30 I			ī	45 3	1 9.4 3.9	15 2
Mirzapur-Vindhyachal Moradabad · · Muzaffarnagar ·	•	102 166 83	41 100 42	20'9 31.4 26.4	••	••	••	17 5 9	I 2 I	6	••	25 27 16	12·8 8·5 10 0	11 6 3
Pilibhit † Rampur† Saharanpur	•	183	96	27.3	••			30	I	1	••	38	10.8	II
Sambhal† Sitapur Shahjahanpur†	•	54	17	16•4	••	. •	••	I	••	٠.	••	3	2.9	2
Tanda† Najibabad† Hardol • •		36	16	23.2	••			τ		I	••	3	4.3	••
TOTAL .	- 4	,457 2,	318	27'1	••	4	••	357	64	195	8 1,0	14	12.5	271
0.1					ARRE			<i>IATI</i> O	N					
Orlssa		84	48	29.8		w/e 27		2	0		2	2.1	TO 5	_
Behrampur Cuttack Puri	. I	34 1	46 121 46	47·2 41·9	••	2		3 10 8	9 12 5	15	3	31 56 36	19.2 21.8 32.8	7 6 8
TOTAL	27		15	40.9		2	••	21	26	15		123	23.4	21
		_		•	w	6 4-7-	59					_		
Pondicherry	•	68	101	77 · 2	••	••	••	4	6	3	2	27	20.6	17

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available,

Explanation of Symbols used: —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers D.D.—Dysentery and Diarrhora; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil Information;

REMARKS

The figures of births and deaths shown in this statement for week ending 11th July, 1959 relates to 181 towns from the States of Bihar, Bombay, Kerala. Madras, Mysore, Pondicherry, Punjao, Rajasthan and Uttar Pradesh with a population of 27,794 thousands out of a total population of 48,772 thousands in 324 towns of the country.

The number of births and deaths recorded in these towns were 12,684 and 5,629 registering birth and death rates of 23.7 and 10.5 per thousands of population respectively

The following table gives the registereds rates t or different States:—

States				Current iv	rle 11-7 -195 9	Correspon ling w/e last year				
				a.R.	D.R.	B.R.	D.R.			
Bihar		•	-	14.6	6.2	14.5	7.5			
Bombay				17·1	10.2	25.9	11.4			
Kerala				11.2	7·1	33.6	15.6			
Madras		•	•	36.3	12.4	32.3	14.5			
Mysore		-	•	28.2	10.9	28.5	11.4			
Pondicherry			٠	71.8	14.5	71.9	16.1			
Punjab .		•		28.4	7:3	35.2	8 9			
Rajasthan	•	•	•	18.9	7.0	15. 5	7.6			
Utter Predes	h	•	•	27· I	12.2	29.3	15.4			
India .		•	•	23.7	10 5	28.3	12.3			

New Delhi-2 (India); The 3rd August, 1959.

H. R. SHARMA, for Registrar General, India.

